

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	558	print\$4 same locator\$1 same data\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:35
L2	13	print\$4 same locator\$1 same data\$1 same encoder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:44
L3	7	locator\$1 same data\$1 same encoder\$1 same dot\$1 same position\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:58
L4	20	(locator\$1 near20 data\$1) and 235/494.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:49
L5	2275	template\$4 near40 (location\$1 or position\$1) near40 (data or entry or entries or bit\$1 or dot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:55
L6	18	I5 and 235/494.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:55
L7	8	I4 and I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:56
L8	30	I4 or I6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:56

L9	7	locator\$1 same data\$1 same encoder\$1 same template same position\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:58
L10	152	locator\$1 same data\$1 same encoder\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:58
L11	3466	position\$1 same data same (constant\$1 or locator\$1) same (dot\$1 or bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:36
L12	23	l10 and l11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 07:59
L13	15061	position\$1 near30 template\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:44
L14	23	l11 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 08:44